# Author Index


A

Acierno, D., see Apadaro, G.
Aguilera, C., see Retuert, J.
Airinei, A., see Spiratos, M.
Amis, E.J., Janmey, P.A., Ferry, J. D., Hyuk Yu: Quasielastic Light Scattering Measurements of Self-Diffusion and Mutual Diffusion in Gelatin Solutions and Gels 13
Amouyal-Ruderman, M., Sekiguchi, H.: Polymerization of γ-Benzyl Glutamate NCA with a Chiral Quaternary Ammonium Acetate 69
Andruzzi, F., see Paci, M.
Anzinger, H., Mutter, M.: Soluble Polymers in Organic Synthesis. 3. Polyethylene Glycol as Acid Labile Solubilizing Protecting Group 595

B

Babu, G.N., see Deshpande, A.
Balakrishnan, T., Ponnusamy, E., Vijayakumar, C.T., Kothandaraman, H.: Terephthalate Copolyesters of Ethylene Glycol and Propane-1,3-Diol 195
Bărbinţă, V., see Caraculacu, A.
Berg-Feld, M.C., Klesper, E.: $^1$H-NMR of the Amidation of Syndiotactic Poly(Methacrylic Acid) with Carbodiimide 201
Berg-Feld, M.C., Mano, E.B., Klesper, E.: Formation of Cyclic Anhydride on Syndiotactic Poly(Methacrylic Acid) by Cyclohexylcarbodiimide 493
Bluhm, T., see Sundararajan, P.R.
Bossaer, P., see Goethals, E.J.
Brossas, J., see Chiotis, A.
Brossas, J., see Friedmann, G.
Buback, M., see Eckel, R.
Bunch, J.E., see Das, S.
Burillo, G., Herrera, T.E., Ogawa, T.: Solvent Effects on the Heterogenous Radical Polymerization of Acrylonitrile 623
Buruiană, E., see Caraculacu, A.

C

Calderaro, E., see Spadaro, G.
Canessa, G., Pooley, S.A., Rodríquez-Baeza, M., Neira, A.: Racemic Poly(α-Alkyl-α-Phenyl-β-Propiolactone). Substituent Dependence 515
Canto, S., see Spadaro, G.
Cantow, H.-J., see Feger, C.
Cantow, H.-J., see Gronski, W.
Cantow, H.-J., see Schneider, H.A.
Caraculacu, A., Robilă, G., Buruiană, E., Bărbinţă, V.: The Chain Transfer to Polymer in Vinyl Chloride Bulk Polymerization 463
Caşcaval, C.N., see Vasile, C.
Ceccorulli, G., see Scandola, M.
Cesteros, L.C., see Katime, I.
Charlet, G., Delmas, G.: "Modification V" of Poly 4-methylpentene-1 from Cyclopentane Solutions and Gels 367
Cheradame, H., see Killis, A.
Chiellini, E., see Schleier, G.
Chiotis, A., Clouet, G., Brossas, J.: Structure Flammability Relationships of Phosphorus Containing Polystyrene Samples (I) 577
Ciobanu, A., see Spiratos, M.
Clouet, G., see Chiotis, A.
Cohen-Addad, J.-P., see Killis, A.

Cotzur, C., see Ungurenasu, C.
Cowie, J.M.G., Saeki, S.: The Location of Both Upper and Lower Critical Phase Boundaries in a Polystyrene-Poly(Vinyl Methyl Ether) Blend 75
Cuthbertson, M.J., Moad, G., Rizzardo, E., Solomon, D.H.: Head Addition of Radicals to Methyl Methacrylate 647

D

Daccord, G., Sillion, B.: α,ω-Bifunctional Poly(p-Phenylene Sulfide) Oligomers. 2. Segmented Copolyesters 477
Das, S., Jones, L.A., Bunch, J.E., Mulik, J.D.: Synthesis and Properties of a New Polyether Ketone 509
Delmas, G., see Charlet, G.
Deshpande, A., Deshpande, D.D., Babu, G.N.: Effect of Temperature on the Monomer Reactivity Ratios of 2-Hydroxypropyl Methacrylate with Methyl Acrylate and Methyl Methacrylate 1
Deshpande, D.D., see Deshpande, A.
Deveux, R., see Goethals, E.J.

E

Ebert, K.H., Ederer, H.J., Emmert, J.: Oligomer Formation in the Chemical Degradation of Dextran 471
Eckel, R., Schwickert, H., Buback, M., Strobl, G.R.: Raman Spectrum of the High Pressure Phase of Polyethylene 559
Ederer, H.J., see Ebert, K.H.
Emmerling, W.N.: Monolayers from Synthetic Glycolipids 305
Emmert, J., see Ebert, K.H.

F

Feger, C., Cantow, H.-J.: Cellulose Containing Block Copolymers. 2. Molecular Weights and Solution Properties of Trimethylcellulose-Poly(Oxytetramethylene) Block Copolymers 321
Feger, C., Cantow, H.-J.: Cellulose Containing Block Copolymers. 3. Solid State Properties of Trimethylcellulose-Poly(Oxytetramethylene) Block Copolymers 583
Fehrle, M., see Kricheldorf, H.R.
Ferry, J.D., see Amis, E.J.
Forgács, P., Tolochko, B.P., Sheromov, M.A.: Study of the β-α Solid-Solid Transition of Isotactic Polypropylene by Synchrotron Radiation 127
Freidzon, Y.S., see Mousa, A.M.
Friedmann, G., Herz, J., Brossas, J.: Synthesis of Statistical Polydiene Networks by Reaction of Liquid Polyenes with Telechelic Siloxanes 251
Fukushima, K., see Yamada, B.
Furukawa, J., Onouchi, Y., Inagaki, S., Okamoto, H.: Rubber Elasticity at Very Large Elongation 381
Furusawa, S., see Ouchi, T.

G

Galli, G., see Schleier, G.
Gandini, A., see Killis, A.
Georgiev, G.S.: Determination of the Participation of Donor-Acceptor Complexes in Copolymerization from NMR Data 29
Gerhard, R., see Sessler, G.M.
Goethals, E.J., Bossaer, P., Deveux, R.: The Polymerization Behaviour of I-Benzyl-2,2-Dimethyl-Aziridine 121
Golinelli, A., see Krongauz, V.A.
Gőżdź, A.S.: Phase Transfer Catalyzed Reactions on Polymers. 5. Degradation of Polyepichlorohydrin with Superoxide 375
Gronski, W., Hasenhindl, A., Limbach, H.H., Möller, M., Cantow, H.-J.: Micro- and Macroconformation of Macromolecules. 10. Conformational Analysis of Amorphous Polymers in the Glassy State by Magic Angle Spinning $^{13}C$-NMR 93
Gronski, W., Peter, R.: Concentration Dependence of Local Chain Motions of Polymers $^{13}C$-NMR Relaxation of an Alternating 1,4-trans-Butadiene-Propene Copolymer 113

Grovu, M., see Simionescu, C.I.
Guyot, A., see Vidal, A.

H

Hamaide, T., see Revillon, A.
Hasenhindl, A., see Gronski, W.
Hatada, K., Kitayama, T., Terawaki, Y., Matsuura, T., Sourirajan, S.: Studies on the Water in Cellulose Acetate Membranes by High Resolution $^1$H NMR Spectroscopy 639
Hempel, G., Schneider, H.: C-13 Rotating Frame Relaxation of Solid Polymers 7
Henrici-Olivé, G., Olivé, S.: "Quick-Stabilizing" Acrylic Precursor for Carbon Fibers 229
Herrera, T.E., see Burillo, G.
Herz, J., see Friedmann, G.
Heublein, G., see Hotzel, H.E.
Höhne, G.W.H.: Transitions of n-Alkanes Above the Melting Point 41
Holmberg, K.: Alkali Catalysed Curing of Starch-Melamine Resin Systems 553
Honda, Y., see Oikawa, E.
Hongu, Y., see Kohjiya, S.
Hotzel, H.E., Wondraczek, R.H., Heublein, G.: Studies on Cationic Copolymerization of α-Methylstyrene and Indene. 1. Basic Kinetic Investigation 521
Hradil, J., Švec, F.: Reactive Polymers. 43. Reaction of Hydrolyzed Copoly(Glycidylmethacrylate-Ethylenedimethacrylate) with Propane Sultone in the Presence of Phase Transfer Catalyst 565
Hüholt, S., Meyer, G., Möseler, R., Schriefer, A., Wöhrle, D.: Polymerisation of Different Furanes with Cr(II) Surface Compounds on Silicagel 315
Hung Anh Nguyen, Kennedy, J.P.: Initiation of Cationic Polymerizations with Alcohol/Lewis Acid Systems. 1. The Reaction Between Alcohols and Boron Trichloride 47
Hung Anh Nguyen, Kennedy, J.P.: Initiation of Cationic Polymerization with Alcohol/Lewis Acid Systems. 2. Model Study with 2,4,4-Trimethyl-I-Pentene 55
Hyuk Yu, see Amis, E.J.

I

Inagaki, S., see Furukawa, J.
Ioan, S., Simionescu, B.C., Simionescu, C.I.: Plasma-Induced Polymerization. 10. On the Heterogeneity and Excluded-Volume Effect of Methyl Methacrylate - Styrene Copolymers 421
Ioan, S., see Simionescu, B.C.
Ishida, S., Nonomura, H., Morimoto, Y., Kaneko, K.: Diffusion Phenomena of Small Molecules in Polyelectrolyte Solutions 35
Iván, B., Kennedy, J.P., Kelen, T., Tüdős, F.: Cyclopentadienylation of Allyl-Chlorine Enriched PVC and Degradation Thereof 147
Iván, B., Kennedy, J.P., Kelen, T., Tüdős, F.: Characterization and Degradation of Poly(Vinyl Chloride-g-Isobutylene) Carrying Tertiary Chlorine and Cyclopentadienyl Branch Termini 155
Iván, B., Kennedy, J.P., Kelen, T., Tüdős, F.: Characterization and Degradation of Poly(Vinyl Chloride-g-Isobutylene) Carrying Tertiary Chlorine and Cyclopentadienyl Branch Termini (Erratum) 661

J

Janmey, P.A., see Amis, E.J.
Jones, L.A., see Das, S.

K

Kamachi, M., Kuwae, Y., Nozakura, S.: Spin Trapping Study on Addition Reaction of Organic Radicals to Methyl Methacrylate and Methyl Tiglate 143
Kaneko, K., see Ishida, S.
Katime, I., Cesteros, L.C., Ochoa, J.R.: Viscometric Behaviour of PMMA(3)/THF(1)/Water(2) System 447
Katime, I., Ochoa, J.R., Cesteros, L.C., Peñafiel, J.: Polymer Cosolvent Systems. 3. PMMA(3)/$CCl_4$(1)/n-Butyl Chloride (2) 429
Katime, I., Quintana, J.R.: Ptitsyn-Eizner λ Parameter for PMMA in Theta Solvents 455

Katime A., I., Valenciano, R., Nuño, T.: Selective Adsorption of PMMA in Polar Binary Mixtures. 4. Chloroform(1)/Methyl Acetate(2) 437
Kelen, T., see Iván, B.
Kelen, T., see Pukánszky, B.
Kennedy, J.P., see Hung Anh Nguyen
Kennedy, J.P., see Iván, B.
Kennedy, J.P., see Liao, T.-P.
Kennedy, J.P., see Pukánszky, B.
Kennedy, J.P., see Vidal, A.
Killis, A., LeNest, J.-F., Gandini, A., Cheradame, H., Cohen-Addad, J.-P.: Correlation Between Ionic Conductivity and $^{7}Li$-NMR of Polyether-polyurethane Networks Containing Lithium Perchlorate 351
Kimura, Y., see Sano, Y.
Kimura, K., Wong, K., Smid, J.: Binding of the Cationic Fluorophore Auramine-O to Neutral and Charged Poly(Vinyl-Benzo-18-Crown-6) in Water 395
Kitayama, T., see Hatada, K.
Klein, J., Klesper, E.: Esterification Reactions on Syndiotactic Poly(Methallylalcohol) 291
Klesper, E., see Berg-Feld, M.C.
Klesper, E., see Klein, J.
Kobayashi, S., Mei Yu Huang, Saegusa, T.: Spontaneous Copolymerizations of 2-Phenyl-1,3,6,2-trioxaphosphocane with α,β-Unsaturated Acids and with α-Keto Acids 389
Kohjiya, S., Hongu, Y., Tamura, M., Yamashita, S.: Chemical Determination of Microstructure of Diene Units in 1-Chloro-1,3-Butadiene Copolymers 209
Kothandaraman, H., see Balakrishnan, T.
Kricheldorf, H.R., Fehrle, M.: New Polymer Syntheses. 5. Poly(L-ornithine), Poly(L-lysine) and Isopoly(L-lysine) with Pending 2-Thiothymine Groups 21
Kricheldorf, H.R., see Müller, D.
Krongauz, V.A., Golinelli, A.: Retardation of the Merocyanine-Spiropyran Conversion in Macromolecules 259
Kuwae, Y., see Kamachi, M.

L

LeNest, J.-F., see Killis, A.
Liao, T.-P., Kennedy, J.P.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initiator-Transfer Agents (Inifers). 17. Synthesis and Characterization of Acryl and Methacryl Telechelic Polyisobutylenes (Polyisobutenyl Diacrylate and -dimethacrylate) 135
Limbach, H.H., see Gronski, W.
Löwendahl, L., Samuelson, O.: Formation of Aldonic Acid End Groups During $NO_2/O_2$ Treatment and Alkali Cooking of Wood Meal 547

M

Mano, E.B., see Berg-Feld, M.C.
Marek, M., see Toman, L.
Marx-Figini, M., Soubelet, O.: Size Exclusion Chromatography (GPC) of Cellulose Nitrate Using Modified Silicagel as Stationary Phase 501
Martínez, F., see Retuert, J.
Matlengiewicz, M., Turska, E.: Application of Lanthanide Shift Reagents to the Determination of Sequences in an Aromatic Copolyterephthalate by $^{1}H$-NMR Spectroscopy 603
Matsuura, T., see Hatada, K.
Mei Yu Huang, see Kobayashi, S.
Meyer, G., see Hüholt, S.
Misra, B.N., see Sharma, R.K.
Miyamoto, M., see Sano, Y.
Mizutani, T., see Ouchi, T.
Moad, G., see Cuthbertson, M.J.
Moad, G., Rizzardo, E., Solomon, D.H.: A Product Study of the Nitroxide Inhibited Thermal Polymerization of Styrene 589
Möller, M., see Gronski, W.
Möseler, R., see Hüholt, S.
Morimoto, Y., see Ishida, S.
Mousa, A.M., Freidzon, Y.S., Shibaev, V.P., Platé, N.A.: Thermotropic Liquid Crystalline Polymers. 8. Optical and Structural Properties of New Nematic and Cholesteric Polymers 485

Müller, D., Kricheldorf, H.R.: Secondary Structures of Peptides. 2. Detection and Quantification of Secondary Structures of Solid Polypeptides by Means of $^{13}C$-NMR CP/MAS Spectroscopy 101
Mulik, J.D., see Das, S.
Mutter, M., see Anzinger, H.

N

Neira, A., see Canessa, G.
Nonomura, H., see Ishida, S.
Nozakura, S., see Kamachi, M.
Nuño, T., see Katime A., I.

O

Ochoa, J.R., see Katime, I.
Ogawa, T., see Burillo, G.
Oikawa, E., Honda, Y., Sawada, Y.: The Characteristics of Cobalt or Copper Salt-Coordinated Poly(4-Vinylpyridine-co-2,4-Diamino-6-Vinyl-s-Triazine) Membrane for Reverse Osmosis 169
Okamoto, H., see Furukawa, J.
Olivê, S., see Henrici-Olivê, G.
Onouchi, Y., see Furukawa, J.
Otsu, T., see Yamada, B.
Ottenbrite, R.M.: Polyelectrolytes. 2. A New Cyclic Quaternary Ammonium Polymer Poly(N,N-Dimethyl-3,4-Pyrrolidinium) Bromide 225
Ouchi, T., Tomimoto, M., Mizutani, T., Furusawa, S.: Cyclic Acetal-Photosensitized Polymerization. 16. Photooligomerization of 2-Substituted 1,3-Diphenylimidazolizine Compounds 631
Oza, C.K., see Vyas, P.C.

P

Paci, M., Shi Yun Yu, Andruzzi, F.: Polymerization of Bicyclic Ethers. 4. $^{13}C$-NMR Relaxation Study of Copolymers from 7-Oxabicyclo [2.2.1]heptane 81
Peñafiel, J., see Katime, I.
Percec, V., see Schneider, H.A.
Perovic, A., Sundararajan, P.R.: Crystallization of Cyclic Oligomers in Commercial Poly(ethyleneterephthalate) Films 277
Peter, R., see Gronski, W.
Pezzin, G., see Scandola, M.
Piccarolo, S., see Spadaro, G.
Pizzoli, M., see Scandola, M.
Platê, N.A., see Mousa, A.M.
Platê, N.A., see Talroze, R.V.
Ponnusamy, E., see Balakrishnan, T.
Pooley, S.A., see Canessa, G.
Popa, M., see Simionescu, B.C.
Pukánszky, B., Kennedy, J.P., Kelen, T., Tüdős, F.: Cationic Reactions in the Melt. 2. The Effect of Lewis Acids on Ethylene-Propylene Co- and Terpolymers 327
Pukánszky, B., Kennedy, J.P., Kelen, T., Tüdős, F.: Cationic Reactions in the Melt. 3. Grafting Polystyrene onto-Ethylene-Propylene Co- and/or Terpolymers 335

Q

Quintana, J.R., see Katime, I.

R

Retuert, J., Aguilera, C., Martínez, F.: Solution Polymerization of Phosphonitrilic Chloride Trimer in Chlorobenzene 535
Revillon, A., Hamaide, T.: Macromer Copolymerization Reactivity Ratio Determined by GPC Analysis 235
Rizzardo, E., see Cuthbertson, M.J.
Rizzardo, E., see Moad, G.
Robilă, G., see Caraculacu, A.
Rodríquez-Baeza, M., see Canessa, G.
Rusu, G.I., see Spiratos, M.

S

Sabliovschi, M., see Vasile, C.
Saegusa, T., see Kobayashi, S.
Saegusa, T., see Sano, Y.
Saeki, S., see Cowie, J.M.G.
Samuelson, O., see Löwendahl, L.
Sano, Y., Miyamoto, M., Kimura, Y., Saegusa, T.: N-Acetylpolyethylenimine. A Blending Agent for Polyamide Fiber 163
Sano, Y., Miyamoto, M., Kimura, Y., Saegusa, T.: Zwitterions of 1-Poly(oxyethylene)-2-Imidazoline Derivatives as Anti-Electrostatic Agent for Polyamide Fiber 343
Sawada, Y., see Oikawa, E.

Scandola, M., Ceccorulli, G., Pizzoli, M., Pezzin, G.: Further Evidence of an Unusual $T_g$-Concentration Dependence for Plasticized Polyvinylchloride 653
Schleier, G., Galli, G., Chiellini, E.: Chiral Liquid Crystal Polymers. 1. Synthesis and Properties of Glycidyl Ethers Containing Anisotropic Groups 529
Schneider, H.A., Cantow, H.-J., Percec, V.: Donor-Acceptor Complexation in Macromulecular Systems. 1. Viscoelastic Properties of Poly-Donor - Poly-Acceptor Blends and of Corresponding Copolymers 617
Schneider, H., see Hempel, G.
Schriefer, A., see Hüholt, S.
Schwickert, H., see Eckel, R.
Sekiguchi, H., see Amouyal-Ruderman, M.
Sessler, G.M., West, J.E., Gerhard, R.: Measurement of Charge Distribution in Polymer Electrets by a New Pressure-Pulse Method 109
Sharma, R.K., Misra, B.N.: Grafting Onto Wool. 22. Radiation Induced Graft Copolymerization of Methyl Methacrylate in Water-Methanol System 183
Sharma, R.S., see Vyas, P.C.
Sheromov, M.A., see Forgács, P.
Shibaev, V.P., see Mousa, A.M.
Shibaev, V.P., see Talroze, R.V.
Shi Yun Yu, see Paci, M.
Sillion, B., see Daccord, G.
Simionescu, B.C., see Ioan, S.
Simionescu, B.C., Ioan, S., Simionescu, C.I.: Plasma-Induced Polymerization. 8. The Heterogeneity of Chain Composition of Methacrylonitrile-Styrene Copolymers 87
Simionescu, B.C., Popa, M., Ioan, S., Simionescu, C.I.: Plasma-Induced Polymerization. 9. "Living" Radical Copolymerization of Methyl Methacrylate and Styrene 415
Simionescu, C.I., see Ioan, S.
Simionescu, C.I., see Simionescu, B.C.
Simionescu, C.I., Grovu, M.: Electrochemically Initiated Copolymerization of some Acetylenic Derivatives 217
Singh, R.P.: Effect of Copper Chelates on U.V. Stability of Butyl Rubber and SBR Rubber 175
Sinitzyn, V.V., see Talroze, R.V.
Smid, J., see Kimura, K.
Soga, K., Yamamoto, K.: Supported Catalysts for the Polymerization of 1,3-Butadiene 263
Solomon, D.H., see Cuthbertson, M.J.
Solomon, D.H., see Moad, G.
Soubelet, O., see Marx-Figini, M.
Sourirajan, S., see Hatada, K.
Spadaro, G., G., Piccarolo, S., Canto, S., Calderaro, E., Aciernno, D.: Structural Modifications in an Irradiated Ethylene-Vinyl Alcohol Copolymer 611
Spiratos, M., Airinei, A., Rusu, G. I., Ciobanu, A.: Coordination Polymers. 5. Chelate Polymers of 2,4-Dihydroxybenzaldehyde 243
Strobl, G.R., see Eckel, R.
Sundararajan, P.R., see Perovic, A.
Sundararajan, P.R., Tyrer, N.: Crystallization from the Bulk of Isotactic Polystyrene in the Extended Conformation. A Low Density Crystalline Form 359
Sundararajan, P.R., Tyrer, N., Bluhm, T.: Extended and Threefold Helical Conformations in Gels of Isotactic Polystyrene. Effect of Solvent 285
Švec, F., see Hradil, J.

T

Talroze, R.V., Sinitzyn, V.V., Shibaev, V.P., Platé, N.A.: Thermotropic Liquid Crystalline Polymers. 7. New Cooperative Structure Transition in Liquid Crystalline Polymers Induced by an Electric Field 309
Tamura, M., see Kohjiya, S.
Terawaki, Y., see Hatada, K.
Thirion, P.: Revisal of the Chain Equilibration Process in Strained Polymer Melts 541
Tolochko, B.P., see Forgács, P.
Toman, L., Marek, M.: The Polymerization of Isobutylene with $VCl_4$ and Ammonia 571
Tomimoto, M., see Ouchi, T.
Tüdős, F., see Iván, B.
Tüdős, F., see Pukánszky, B.
Turska, E., see Matlengiewicz, M.
Tyrer, N., see Sundararajan, P.R.

U

Ungurenasu, C., Cotzur, C.: Disodium Tetracarbonylferrate. A Reagent for Acid Functionalization of Halogenated Polymers 299

V

Valenciano, R., see Katime A., I.
Vasile, C., Sabliovschi, M., Cascaval, C.N.: The Compatibility of the Polystyrene/Acrylonitrile-Butadiene-Styrene Grafted Copolymer System. 2. Concentrated Solutions and Solid State 61
Vidal, A., Guyot, A., Kennedy, J.P.: Silica Grafted Polyisobutylene and Butyl Rubber. 2. Synthesis and Characterization of Silica Grafted Butyl Rubber 401
Vijayakumar, C.T., see Balakrishnan, T.
Vyas, P.C., Oza, C.K., Sharma, R.S.: Characterization of some Organic Poly(aminiumphosphate)s. Part B. Metachromatic Reactions and Paper Chromatographic Studies 269

W

West, J.E., see Sessler, G.M.
Wöhrle, D., see Hüholt, S.
Wondraczek, R.H., see Hotzel, H.E.
Wong, K., see Kimura, K.

Y

Yamada, B., Fukushima, K., Otsu, T.: Kinetic Study on Radical Polymerization with Consideration of Reversibility of Propagation Reaction. Polymerizations of Phenyl Methacrylate and o-sec-Butylphenyl Methacrylate 189
Yamamoto, K., see Soga, K.
Yamashita, S., see Kohjiya, S.

# Subject Index


A

Acetal-photosensitized polymerization 631
Acetylenic derivatives 217
N-Acetylpolyethylenimine 163
Acrylonitrile 229, 623
Acrylonitrile-butadiene-styrene 61
p-(ε-Acryloyloxycaproyloxy)-p-methoxyphenylbenzoate 485
Aldonic acid 547
n-Alkane-melts 41
Aminoacids 21
Ammonia 571
Ammonium acetate 69
Anti-electrostatic agents 343
Aziridines 121

B

1-Benzyl-2,2-dimethylaziridine 121
γ-Benzyl glutamate NCA 69
Binary mixtures 437, 447
Block copolymers 321
1,3-Butadiene 263
n-Butyl chloride 429
o-sec-Butylphenyl methacrylate 189
Butyl rubber 175, 401

C

Carbodiimides 201
Carbon fibers 229
Carbotetrachloride 429
Catalysts 263, 315
Cationic polymerization, initiation 47, 55
Cationic reactions 327, 335
Cellulose 321, 583
Cellulose acetate 639
Cellulose nitrate 501
Chain equilibration process 541
Chain motions 113
Chain transfer 463
Chelate polymers 243
Chirality 529
1-Chloro-1,3-butadiene copolymers 209
Chloroform 437
Chromium compounds 315
Conductivity 351
Conformational analysis 93
Conformations 285
Coordination compounds (Co, Cu) 169
Coordination polymers 243
Copolyesters 477
Copoly(glycidylmethacrylate--ethylenedimethacrylate) 565
Copolymerization 29
Copolymerization, electrochemically initiated 217
Copolymerization kinetic 521
Copolymerization reactivity 235
Copolyterephthalate 603
Copper chelates 175
Cosolvent systems 429
Critical phase boundaries 75
Crown ethers 395
Crystalline structure 367
Crystallization 277, 359
Cyclohexylcarboiimide 493
Cyclopentadienyl branch termini 661
Cyclopentadienyl groups 147
Cyclopentane solutions 367

D

Degradation 471
Dextran 471
Diene units microstructure 209
2,4-Dihydroxybenzaldehyde 243
Diphenylimidazolizine compounds 631
Disodium tetracarbonylferrate 299
Donor-acceptor complexation 617
Donor-acceptor complexes 29
Diffusion phenomena 35

E

Elasticity 381
Electrets 109
Electro-optical behaviour 309
Esterification reactions 291
Ethers, bicyclic 81
Ethylene glycol 195
Ethylene-vinyl alcohol copolymer 611
Excluded-volume effect 421

F

Fibers 183
Flammability 577
Fluorophore auramine-O 395
Furanes 315

G

Gelatin solutions 13
Gel permation chromatography 235
Gels 13, 285, 367
Glass transitions 7
Glassy state 93
Glycidyl ethers 529
Glycolipids 305
Grafted copolymers 61
Grafted PVC 155

H

2-Hydroxypropyl methacrylate 1

I

Indene 521
Inifers 135
Irradiation 611
Isobutylene 47, 571

K

Kelen Tüdős method 1
Keto acids 389

L

Lanthanide shift reagents 603
Laser 109
Lewis acids 47, 55, 327
Light scattering 13, 409
Lipids 305
Liquid crystal polymers 529
Liquid crystalline polymers 309, 485
Lithium perchlorate 351
"Living" radical copolymerization 415
L-Lysine 21

M

Magic angle spinning $^{13}$C-NMR 93
Melamine 553
Melts 327, 335, 541
Membranes 639
Membrane structure 169
Merocyanine-spiropyan conversion 259
Metachromatic reactions 269
Methacrylonitrile-styrene copolymers 87, 409
Methyl acetate 437
Methyl acrylate 1
Methyl methacrylate 1, 143, 415, 647
Methyl methacrylate-styrene copolymers 421
α-Methylstyrene 521
Methyl tiglate 143
Monolayers 305

N

Networks 251, 351
Nitroxide 589
$^{13}$C-NMR relaxation 81
NMR spectroscopy 603, 639
$^{13}$C-NMR CP/MAS spectroscopy 101
Nylon 6 163

O

Oligomers 277
L-Ornithine 21
Oligomer formation 471
7-Oxabicyclo[2.2.1]heptane 81

P

λ-Parameter 455
Peptides 101
Peroxide 375
Phase transfer catalyst 565
Phase transfer catalyzed reactions 375
Phenyl methacrylate 189
2-Phenyl-1,3,6,2-trioxaphosphocane 389
Phosphonitrilic chloride trimer 535
Photooligomerization 631
Plasma 409, 415, 421

Plasma-induced copolymerization 87
Poly(α-alkyl-α-phenyl-β-propiolactone) 515
Polyamide fiber 163, 343
Poly(aminiumphosphate)s 269
Polydiene networks 251
Poly(N,N-dimethyl-3,4-pyrrolidinium) bromide 225
Polyelectrolytes 225
Polyelectrolyte solutions 35
Polyepichlorohydrin 375
Polyether ketones 509
Polyether-polyurethane networks 351
Polyethylene 7
Polyethylene glycol 595
Polyethylene (Raman spectrum) 559
Poly(ethyleneterephthalate) films 277
Poly(ethylene-vinylacetate) 7
Polyisobutylenes 135, 401
Polymer blends 75
Polymers, halogenated 299
Poly(methacrylic acid), syndiotactic 201, 493
Poly(methallylalcohol) 291
Poly(methylmethacrylate) 7
Polymethylmethacrylate 429, 437, 447, 455
Poly 4-methylpentene-1 367
Poly(nucleoamine acids) 21
1-Poly(oxyethylene)-2-imidazoline derivatives 343
Poly(oxytetramethylene) 583
Poly(p-phenylene sulfide) oligomers 477
Polypropylene, isotactic 127
Polystyrene 61, 75, 285, 335, 577
Polystyrene, isotactic 359
Poly(vinylacetate) 7
Poly(vinylbenzo-18-crown-6) 395
Polyvinylchloride 653
Poly(vinyl chloride) 147
Poly(vinyl chloride-g-isobutylene) 155, 661
Poly(4-vinylpyridine-co-2,4-diamino-6-vinyl-s-triazine) membrane 169
Pressure-pulse method 109
Propane-1,3-diol 195
Propane sultone 565

R

Racemates 515
Radical polymerization 623
Radical polymerization, kinetics 189
Radicals 143, 647
Reverse osmosis 169
C-13 Rotating frame relaxation 7
Rubber elasticity 381

S

SBR rubber 175
Silica grafted butyl rubber 401
Siloxanes 251
Size exclusion chromatography 501
Solid polymers 7
Solid-solid transition 127
Soluble polymers 595
Solution polymerization 353
Solvent effects 623
Spin trapping 143
Spiropyran 259
Starch-melamine resin systems 553
Stereochemistry 69
Styrene 415, 589
Synchrotron radiation 127

T

$T_g$-concentration dependence 653
Telechelic polymers 135
Terephthalate copolyesters 195
Terpolymers 327, 335
Tetracarbonylferrate 299
Thermal polymerization 535, 589
Theta solvents 455
1,4-Trans-butadiene-propene copolymer 113
Trimethylcellulose 321, 583
2,4,4-Trimethyl-1-pentene 55

U

Unsaturated acids 389
U.V. stability 175

V

Vinyl chloride bulk polymerization 463
Viscoelastic properties 617

W

Wood meal 547
Wool, grafting 183